

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
799.02	Hypoxemia	R09.02	Hypoxemia
486	Pneumonia, organism unspecified	J18.9	Pneumonia, unspecified organism
		Additional Choices	
		J18.8 Other pneumonia, unspecified organism	
		Notes	
		Code first associated influenza, if applicable (J09.X1, J10.0-, -J11.0-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
518.82	Other pulmonary insufficiency, not elsewhere classified	J98.4 J80	Other disorders of the lung Acute respiratory distress syndrome
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
518.81	Acute respiratory failure	J96.00 J96.90	Acute respiratory failure, unspecified whether with hypoxia or hypercapnia Respiratory failure, unspecified whether with hypoxia or hypercapnia
		Additional Choices	
		J9601 Acute respiratory failure with hypoxia J9602 Acute respiratory failure with hypercapnia J9691 Respiratory failure, unspecified with hypoxia J9692 Respiratory failure, unspecified with hypercapnia	
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
496	Chronic airway obstruction, not elsewhere classified	J44.9	Chronic obstructive pulmonary disease, unspecified
		<p>Notes</p> <p>Code also type of asthma, if applicable (J45.-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
491.21	Obstructive chronic bronchitis with acute exacerbation	J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation
		<p>Notes</p> <p>Code also type of asthma, if applicable (J45.-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22)) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
511.9	Unspecified pleural effusion	J918	Pleural effusion in other conditions classified elsewhere
		<p>Notes</p> <p>Code first underlying disease, such as: filariasis (B74.0-B74.9), influenza (J09.X2, J10.1, J11.1) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
327.23	Obstructive sleep apnea	G47.33	Obstructive sleep apnea (adult) (pediatric)
		<p>Notes</p> <p>Code also any associated underlying condition</p>	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
428.0	Congestive heart failure, unspecified	I50.9	Heart failure, unspecified
		Additional Choices	
		I50.20 Unspecified systolic (congestive) heart failure	
		I50.21 Acute systolic (congestive) heart failure	
		I50.22 Chronic systolic (congestive) heart failure	
		I50.23 Acute on chronic systolic (congestive) heart failure	
		I50.30 Unspecified diastolic (congestive) heart failure	
		I50.31 Acute diastolic (congestive) heart failure	
		I50.32 Chronic diastolic (congestive) heart failure	
		I50.33 Acute on chronic diastolic (congestive) heart failure	
		I50.40 Unspecified combined systolic (congestive) and diastolic (congestive) heart failure	
		I50.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure	
		I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure	
		I50.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure	
		Notes	
		Code first:	
		heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8)	
		heart failure following surgery (I97.13-)	
		heart failure due to hypertension (I11.0)	
		heart failure due to hypertension with chronic kidney disease (I13.-)	
		obstetric surgery and procedures (O75.4)	
		rheumatic heart failure (I09.81)	
786.09	Respiratory abnormality, other	R06.00	Dyspnea, unspecified
		R06.09	Other forms of dyspnea
		R06.3	Periodic breathing
		R06.83	Snoring
		R06.89	Other abnormalities of breathing
415.19	Other pulmonary embolism and infarction	I26.99	Other pulmonary embolism without acute cor pulmonale
		Additional Choices	
		I26.09 Other pulmonary embolism with acute cor pulmonale	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
162.9	Malignant neoplasm of bronchus and lung, unspecified site	C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
		Additional Choices	
		C34.91 Malignant neoplasm of unspecified part of right bronchus or lung C34.92 Malignant neoplasm of unspecified part of left bronchus or lung	
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
518.3	Pulmonary eosinophilia	J82	Pulmonary eosinophilia, not elsewhere classified
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
995.91	Sepsis	A419	Sepsis, unspecified organism
		Additional Choices	
		A02.1 Salmonella sepsis A22.7 Anthrax sepsis A26.7 Erysipelothrix sepsis A32.7 Listerial sepsis A40.0 Sepsis due to streptococcus, group A A40.1 Sepsis due to streptococcus, group B A40.3 Sepsis due to Streptococcus pneumoniae A40.8 Other streptococcal sepsis A40.9 Streptococcal sepsis, unspecified A41.01 Sepsis due to Methicillin susceptible Staphylococcus aureus A41.02 Sepsis due to Methicillin resistant Staphylococcus aureus A41.1 Sepsis due to other specified staphylococcus A41.2 Sepsis due to unspecified staphylococcus A41.3 Sepsis due to Hemophilus influenza A41.4 Sepsis due to anaerobes A41.50 Gram-negative sepsis, unspecified A41.51 Sepsis due to Escherichia coli [E. coli] A41.52 Sepsis due to Pseudomonas A41.53 Sepsis due to Serratia A41.59 Other Gram-negative sepsis A41.81 Sepsis due to Enterococcus A41.89 Other specified sepsis A42.7 Actinomycotic sepsis A54.86 Gonococcal sepsis B37.7 Candidal sepsis	
		Notes	
		Code first: postprocedural sepsis (T81.4) sepsis during labor (O75.3) sepsis following abortion, ectopic or molar pregnancy (O03-O07, O08.0) sepsis following immunization (T88.0) sepsis following infusion, transfusion or therapeutic injection (T80.2-)	
518.0	Pulmonary collapse	J98.11 J98.19	Atelectasis Other pulmonary collapse
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
493.91	Asthma, unspecified, with status asthmaticus	J45.902	Unspecified asthma with status asthmaticus
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
507.0	Pneumonitis due to inhalation of food or vomitus	J69.0	Pneumonitis due to inhalation of food and vomit
		Notes	
		Code also any associated foreign body in respiratory tract (T17.-)	
493.90	Asthma, unspecified, unspecified	J45.909 J45.998	Unspecified asthma, uncomplicated Other asthma
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
414.00	Coronary atherosclerosis of unspecified type of vessel, native or graft	I25.10	Atherosclerotic heart disease of native coronary artery without angina pectoris
		Notes	
		<p>Use additional code to identify: chronic total occlusion of coronary artery (I25.82) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p> <p>Use additional code, if applicable, to identify: coronary atherosclerosis due to calcified coronary lesion (I25.84) coronary atherosclerosis due to lipid rich plaque (I25.83)</p>	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
434.91	Unspecified cerebral artery occlusion with cerebral infarction	I63.50	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery
		Additional Choices	
		I63.511 Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery	
		I63.512 Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery	
		I63.519 Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery	
		I63.521 Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery	
		I63.522 Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery	
		I63.529 Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery	
		I63.531 Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery	
		I63.532 Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery	
		I63.539 Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery	
		I63.541 Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery	
		I63.542 Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery	
		I63.549 Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery	
		I63.59 Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery	
		I63.6 Cerebral infarction due to cerebral venous thrombosis, nonpyogenic	
		I63.8 Other cerebral infarction I63.9 Cerebral infarction, unspecified	
		Notes	
		Use additional code, if applicable, to identify status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (Z92.82)	
		Use additional code to identify presence of:	
		alcohol abuse and dependence (F10.-)	
		exposure to environmental tobacco smoke (Z77.22)	
		history of tobacco use (Z87.891)	
		hypertension (I10-I15)	
		occupational exposure to environmental tobacco smoke (F17.-)	
		tobacco use (Z72.0)	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
518.89	Other diseases of lung, not elsewhere classified	J98.4	Other disorders of lung
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
491.22	Obstructive chronic bronchitis with acute bronchitis	J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection
		Notes	
		<p>Code also type of asthma, if applicable (J45.-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) Use additional code to identify the infection</p>	
278.01	Morbid obesity	E66.01	Morbid (severe) obesity due to excess calories
		Notes	
		<p>Code first obesity complicating pregnancy, childbirth and the puerperium, if applicable (O99.21-) Use additional code to identify body mass index (BMI), if known (Z68.-)</p>	
401.9	Hypertension NOS	I10	Essential (primary) hypertension
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
515	Postinflammatory pulmonary fibrosis	J84.10 J84.89	Pulmonary fibrosis, unspecified Other specified interstitial pulmonary diseases
		<p>Notes</p> <p>Code first, if applicable: poisoning due to drug or toxin (T51-T65 with fifth or sixth character to indicate intent), for toxic pneumonopathy underlying cause of pneumonopathy, if known.</p> <p>Use additional code for adverse effect, to identify drug (T36-T50 with fifth or sixth character 5), if drug-induced</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
786.50	Chest pain, unspecified	R07.9	Chest pain, unspecified
453.40	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity	I82.409	Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity
		<p>Additional Choices</p> <p>I82.401 Acute embolism and thrombosis of unspecified deep veins of right lower extremity</p> <p>I82.402 Acute embolism and thrombosis of unspecified deep veins of left lower extremity</p> <p>I82.403 Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral</p>	
786.6	Swelling, mass, or lump in chest	R22.2	Localized swelling, mass and lump, trunk
466.0	Acute bronchitis	J20.9	Acute bronchitis, unspecified
		<p>Additional Choices</p> <p>J20.0 Acute bronchitis due to Mycoplasma pneumoniae</p> <p>J20.1 Acute bronchitis due to Hemophilus influenza</p> <p>J20.2 Acute bronchitis due to streptococcus</p> <p>J20.3 Acute bronchitis due to coxsackievirus</p> <p>J20.4 Acute bronchitis due to parainfluenza virus</p> <p>J20.5 Acute bronchitis due to respiratory syncytial virus</p> <p>J20.6 Acute bronchitis due to rhinovirus</p> <p>J20.7 Acute bronchitis due to echovirus</p> <p>J20.8 Acute bronchitis due to other specified organisms</p>	
		<p>Notes</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
305.1	Tobacco use disorder	F17.200	Nicotine dependence, unspecified, uncomplicated
		Additional Choices	
		F17.201 Nicotine dependence, unspecified, in remission F17.210 Nicotine dependence, cigarettes, uncomplicated F17.211 Nicotine dependence, cigarettes, in remission F17.220 Nicotine dependence, chewing tobacco, uncomplicated F17.221 Nicotine dependence, chewing tobacco, in remission F17.290 Nicotine dependence, other tobacco product, uncomplicated F17.291 Nicotine dependence, other tobacco product, in remission	
427.31	Atrial fibrillation	I48.91	Unspecified atrial fibrillatio
		Additional Choices	
		I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation	
786.30	Hemoptysis, unspecified	R04.2 R04.9	Hemoptysis Hemorrhage from respiratory passages, unspecified
458.9	Hypotension, unspecified	I95.9	Hypotension, unspecified
786.2	Cough	R05	Cough
512.8 new 512.81 new 512.82	Deleted in 2013 Primary spontaneous pneumothorax Secondary spontaneous pneumothorax	J93.11 J93.12	Primary spontaneous pneumothorax Secondary spontaneous pneumothorax
		Notes	
		<p>Code first underlying condition, such as:</p> <ul style="list-style-type: none"> catamenial pneumothorax due to endometriosis (N80.8) cystic fibrosis (E84.-) eosinophilic pneumonia (J82) lymphangioliomyomatosis (J84.81) malignant neoplasm of bronchus and lung (C34.-) Marfan's syndrome (Q87.4) pneumonia due to Pneumocystis carinii (B59) secondary malignant neoplasm of lung (C78.0-) spontaneous rupture of the esophagus (K22.3) 	
new 512.83 new 512.84 new 512.89	Chronic pneumothora Other air leak Other pneumothorax	J93.81 J93.82 J93.83 J93.9	Chronic pneumothorax Other air leak Other pneumothorax Pneumothorax, unspecified
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
276.69	Other fluid overload	E87.70 E87.79	Fluid overload, unspecified Other fluid overload
416.0	Primary pulmonary hypertension	I27.0	Primary pulmonary hypertension
V44.0	Tracheostomy status	Z93.0	Tracheostomy status
518.5 new 518.51	Deleted in 2013 Acute respiratory failure following trauma and surgery	J95.821 J96.00	Acute postprocedural respiratory failure Acute respiratory failure, unspecified whether with hypoxia or hypercapnia
new 518.52	Other pulmonary insufficiency, not elsewhere classified, following trauma and surgery	J95.1 J95.2	Acute pulmonary insufficiency following thoracic surgery Acute pulmonary insufficiency following nonthoracic surgery
new 518.53	Acute and chronic respiratory failure following trauma and surgery	J95.3 J95.822 J96.20	Chronic pulmonary insufficiency following surgery Acute and chronic postprocedural respiratory failure Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
519.11	Acute bronchospasm	J98.01	Acute bronchospasm
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
585.6	End stage renal disease	N186	End stage renal disease
		Notes	
		<p>Code first any associated:</p> <ul style="list-style-type: none"> diabetic chronic kidney disease (E08.22, E09.22, E10.22, E11.22, E13.22) hypertensive chronic kidney disease (I12.-, I13.-) <p>Use additional code to identify kidney transplant status, if applicable, (Z94.0)</p> <p>Use additional code to identify dialysis status (Z99.2)</p>	
995.90	Systemic inflammatory response syndrome, unspecified	R65.10	Systemic inflammatory response syndrome (SIRS) of non-infectious origin without acute organ dysfunction
		Notes	
		<p>Code first underlying condition, such as:</p> <ul style="list-style-type: none"> heatstroke (T67.0) injury and trauma (S00-T88) 	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
793.19	Other nonspecific abnormal finding of lung field	R91.8	Other nonspecific abnormal finding of lung field
934.9	Foreign body in respiratory tree, unspecified	T17.900-	Unspecified foreign body in respiratory tract, part unspecified causing asphyxiation
		T17.908-	Unspecified foreign body in respiratory tract, part unspecified causing other injury
		T17.910-	Gastric contents in respiratory tract, part unspecified causing asphyxiation
		T17.918-	Gastric contents in respiratory tract, part unspecified causing other injury
		T17.920-	Food in respiratory tract, part unspecified causing asphyxiation
		T17.928-	Food in respiratory tract, part unspecified causing other injury
		T17.990-	Other foreign object in respiratory tract, part unspecified in causing asphyxiation
		T17.998-	Other foreign object in respiratory tract, part unspecified causing other injury
		Notes	
		The appropriate 7th character is to be added to each code from category T17 A - initial encounter D - subsequent encounter S - sequel	
780.60	Fever NOS	R50.2	Drug induced fever
		R50.9	Fever, unspecified
		Notes	
		Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)	
578.9	Hemorrhage of gastrointestinal tract, unspecified	K92.2	Gastrointestinal hemorrhage, unspecified
584.9	Acute kidney failure NOS	N17.9	Acute kidney failure, unspecified
		Notes	
		Code also associated underlying condition	
785.50	Shock, unspecified	R57.9	Shock, unspecified
599.0	Urinary tract infection, site not specified	N39.0	Urinary tract infection, site not specified
		Notes	
		Use additional code (B95-B97) to identify infectious agent	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
490	Bronchitis, not specified as acute or chronic	J40	Bronchitis, not specified as acute or chronic
		<p>Notes</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
494.0	Bronchiectasis without acute exacerbation	J47.9	Bronchiectasis, uncomplicated
		<p>Notes</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
518.4	Acute edema of lung, unspecified	J81.0	Acute pulmonary edema
		<p>Notes</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
933.1	Foreign body in larynx	T17.300- T17.308- T17.310- T17.318- T17.320- T17.328- T17.390- T17.398-	Unspecified foreign body in larynx causing asphyxiation Unspecified foreign body in larynx causing other injury Gastric contents in larynx causing asphyxiation Gastric contents in larynx causing other injury Food in larynx causing asphyxiation Food in larynx causing other injury Other foreign object in larynx causing asphyxiation Other foreign object in larynx causing other injury
		<p>Notes</p> <p>The appropriate 7th character is to be added to each code from category T17 A - initial encounter D - subsequent encounter S - sequel</p>	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
519.8	Other diseases of respiratory system, not elsewhere classified	J98.8	Other specified respiratory disorders
		Additional Choices	
		J22 Unspecified acute lower respiratory infection	
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
348.30	Encephalopathy, unspecified	G93.40	Encephalopathy, unspecified
586	Renal failure, unspecified	N19	Unspecified kidney failure
510.9	Empyema without mention of fistula	J86.9	Pyothorax without fistula
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
199.1	Other malignant neoplasm of unspecified site	C80.1	Malignant (primary) neoplasm, unspecified
		Additional Choices	
		C45.9 Mesothelioma, unspecified G73.1 Lambert-Eaton syndrome in neoplastic disease	
		Notes	
		Code first underlying neoplasm (C00-D49)	
785.6	Enlargement lymph nodes	R59.9	Enlarged lymph nodes, unspecified
		Additional Choices	
		R59.0 Localized enlarged lymph nodes R59.1 Generalized enlarged lymph nodes	
250.00	Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled	E11.9	Type 2 diabetes mellitus without complications
		Additional Choices	
		E13.9 Other specified diabetes mellitus without complications	
		Notes	
		Use additional code to identify any insulin use (Z79.4)	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
461.9	Acute sinusitis, unspecified	J01.90	Acute sinusitis, unspecified
		Additional Choices	
		J01.80 Other acute sinusitis	
		J01.91 Acute recurrent sinusitis, unspecified	
		Notes	
		Use additional code (B95-B97) to identify infectious agent	
		Use additional code to identify:	
		exposure to environmental tobacco smoke (Z77.22)	
		exposure to tobacco smoke in the perinatal period (P96.81)	
		history of tobacco use (Z87.891)	
		occupational exposure to environmental tobacco smoke (Z57.31)	
		tobacco dependence (F17.-)	
		tobacco use (Z72.0)	
430	Subarachnoid hemorrhage	I60.9	Nontraumatic subarachnoid hemorrhage, unspecified
		Additional Choices	
		I60.00 Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation	
		I60.01 Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation	
		I60.02 Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation	
		I60.10 Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery	
		I60.11 Nontraumatic subarachnoid hemorrhage from right middle cerebral artery	
		I60.12 Nontraumatic subarachnoid hemorrhage from left middle cerebral artery	
		I60.20 Nontraumatic subarachnoid hemorrhage from unspecified anterior communicating artery	
		I60.21 Nontraumatic subarachnoid hemorrhage from right anterior communicating artery	
		I60.22 Nontraumatic subarachnoid hemorrhage from left anterior communicating artery	
		I60.30 Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery	
		I60.31 Nontraumatic subarachnoid hemorrhage from right posterior communicating artery	
		I60.32 Nontraumatic subarachnoid hemorrhage from left posterior communicating artery	
		I60.4 Nontraumatic subarachnoid hemorrhage from basilar artery	
		I60.50 Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery	
		I60.51 Nontraumatic subarachnoid hemorrhage from right vertebral artery	
		I60.52 Nontraumatic subarachnoid hemorrhage from left vertebral artery	
		I60.6 Nontraumatic subarachnoid hemorrhage from other intracranial arteries	
		I60.7 Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery	
		I60.8 Other nontraumatic subarachnoid hemorrhage	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
		I60.9	(continued)
		Notes	
		<p>Use additional code to identify presence of:</p> <ul style="list-style-type: none"> alcohol abuse and dependence (F10.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) hypertension (I10-I15) occupational exposure to environmental tobacco smoke (F17.-) tobacco use (Z72.0) 	
432.9	Unspecified intracranial hemorrhage	I62.9	Nontraumatic intracranial hemorrhage, unspecified
		Notes	
		<p>Use additional code to identify presence of:</p> <ul style="list-style-type: none"> alcohol abuse and dependence (F10.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) hypertension (I10-I15) occupational exposure to environmental tobacco smoke (F17.-) tobacco use (Z72.0) 	
285.9	Anemia, unspecified	D64.9	Anemia, unspecified
785.52	Septic shock	R65.21	Severe sepsis with septic shock
		Notes	
		<p>Code first underlying infection, such as:</p> <ul style="list-style-type: none"> infection following a procedure (T81.4) infections following infusion, transfusion and therapeutic injection (T80.2-) puerperal sepsis (O85) sepsis following complete or unspecified spontaneous abortion (O03.87) sepsis following ectopic and molar pregnancy (O08.82) sepsis following incomplete spontaneous abortion (O03.37) sepsis following (induced) termination of pregnancy (O04.87) sepsis NOS A41.9 <p>Use additional code to identify specific acute organ dysfunction, such as:</p> <ul style="list-style-type: none"> acute kidney failure (N17.-) acute respiratory failure (J96.0-) critical illness myopathy (G72.81) critical illness polyneuropathy (G62.81) disseminated intravascular coagulopathy [DIC] (D65) encephalopathy (metabolic) (septic) (G93.41) hepatic failure (K72.0-) 	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
482.1	Pneumonia due to Pseudomonas	J15.1	Pneumonia due to Pseudomonas
		<p>Notes</p> <p>Code first associated influenza, if applicable (J09.X1, J10.0-, -J11.0-) Code also associated abscess, if applicable (J85.1) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
197.0	Secondary malignant neoplasm of lung	C78.00	Secondary malignant neoplasm of unspecified lung
		<p>Additional Choices</p> <p>C78.01 Secondary malignant neoplasm of right lung C78.02 Secondary malignant neoplasm of left lung</p>	
V58.49	Other specified aftercare following surgery	Z48.03 Z48.89	Encounter for change or removal of drains Encounter for other specified surgical aftercare
V45.81	Aortocoronary bypass status	Z95.1	Presence of aortocoronary bypass graft
493.92	Asthma, unspecified, with (acute) exacerbation	J45.901	Unspecified asthma with (acute) exacerbation
		<p>Notes</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
518.83	Chronic respiratory failure	J96.10	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
		<p>Additional Choices</p> <p>J96.11 Chronic respiratory failure with hypoxia J96.12 Chronic respiratory failure with hypercapnia</p>	
		<p>Notes</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
807.00	Closed fracture of rib(s), unspecified	S22.31X- S22.32X- S22.39X-	Fracture of one rib, right side Fracture of one rib, left side Fracture of one rib, unspecified side
		<p>Notes</p> <p>A fracture not indicated as displaced or nondisplaced should be coded to displaced</p> <p>A fracture not indicated as open or closed should be coded to closed</p> <p>Code first any associated:</p> <ul style="list-style-type: none"> injury of intrathoracic organ (S27.-) spinal cord injury (S24.0-, S24.1-) <p>The appropriate 7th character is to be added to each code from category S22</p> <ul style="list-style-type: none"> A - initial encounter for closed fracture B - initial encounter for open fracture D - subsequent encounter for fracture with routine healing G - subsequent encounter for fracture with delayed healing K - subsequent encounter for fracture with nonunion S - sequela 	
410.00	Acute myocardial infarction of anterolateral wall, episode of care unspecified	I21.09	ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall
		<p>Notes</p> <p>Use additional code, if applicable, to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (Z92.82) tobacco dependence (F17.-) tobacco use (Z72.0) 	
427.5	Cardiac arrest	I46.9	Cardiac arrest, cause unspecified
		<p>Additional Choices</p> <p>I46.2 Cardiac arrest due to underlying cardiac condition</p> <p>I46.8 Cardiac arrest due to other underlying condition</p> <p>Notes</p> <p>(for I46.2) Code first underlying cardiac condition</p> <p>(for I46.8) Code first underlying condition</p>	
780.2	Syncope and collapse	R55	Syncope and collapse
516.3 New 516.30	(Deleted in 2013) Idiopathic interstitial pneumonia, not otherwise specified	J84.111	Idiopathic interstitial pneumonia, not otherwise specified
New 516.31	Idiopathic pulmonary fibrosis	J84.112	Idiopathic pulmonary fibrosis
New 516.32	Idiopathic non-specific interstitial pneumonitis	J84.113	Idiopathic non-specific interstitial pneumonitis
New 516.33	Acute interstitial pneumonitis	J84.114	Acute interstitial pneumonitis

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
New 516.34	Respiratory bronchiolitis interstitial lung disease	J84.115	Respiratory bronchiolitis interstitial lung disease
New 516.35	Idiopathic lymphoid interstitial pneumonia	J842	Lymphoid interstitial pneumonia
New 516.36	Cryptogenic organizing pneumonia	J84.116	Cryptogenic organizing pneumonia
New 516.37	Desquamative interstitial pneumonia	J84.117	Desquamative interstitial pneumonia
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
431	Intracerebral hemorrhage	I619	Nontraumatic intracerebral hemorrhage, unspecified
		Additional Choices	
		I61.0 Nontraumatic intracerebral hemorrhage in hemisphere, subcortical I61.1 Nontraumatic intracerebral hemorrhage in hemisphere, cortical I61.2 Nontraumatic intracerebral hemorrhage in hemisphere, unspecified I61.3 Nontraumatic intracerebral hemorrhage in brain stem I61.4 Nontraumatic intracerebral hemorrhage in cerebellum I61.5 Nontraumatic intracerebral hemorrhage, intraventricular I61.6 Nontraumatic intracerebral hemorrhage, multiple localized I61.8 Other nontraumatic intracerebral hemorrhage	
		Notes	
		Use additional code to identify presence of: alcohol abuse and dependence (F10.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) hypertension (I10-I15) occupational exposure to environmental tobacco smoke (F17.-) tobacco use (Z72.0)	
530.81	Esophageal reflux	K21.9	Gastro-esophageal reflux disease without esophagitis
305.00	Alcohol abuse, unspecified	F10.10	Alcohol abuse, uncomplicated
		Additional Choice	
		F10.120 Alcohol abuse with intoxication, uncomplicated	
		Notes	
		Use additional code for blood alcohol level, if applicable (Y90.-)	
780.97	Altered mental status	R41.82	Altered mental status, unspecified
		Additional Choice	
		R41.0 Disorientation, unspecified	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
294.8	Other persistent mental disorders due to conditions classified elsewhere	F06.0	Psychotic disorder with hallucinations due to known physiological condition
		F06.8	Other specified mental disorders due to known physiological condition
		Notes	
		Code first the underlying physiological condition	
780.39	Other convulsions	R56.9	Unspecified convulsions
585.9	Chronic kidney disease, unspecified	N18.9	Chronic kidney disease, unspecified
		Notes	
		Code first any associated: diabetic chronic kidney disease (E08.22, E09.22, E10.22, E11.22, E13.22) hypertensive chronic kidney disease (I12.-, I13.-) Use additional code to identify kidney transplant status, if applicable, (Z94.0)	
511.89	Other specified forms of effusion, except tuberculous	J90	Pleural effusion, not elsewhere classified
		J94.2	Hemothorax J94.8 Other specified pleural conditions
		Additional Choice	
		J94.0 Chylous effusion	
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
511.81	Malignant pleural effusion	J91.0	Malignant pleural effusion
		Notes	
		Code first underlying neoplasm Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
135	Sarcoidosis	D86.9	Sarcoidosis, unspecified
		Additional Choices	
		D86.0 Sarcoidosis of lung	
		D86.1 Sarcoidosis of lymph nodes	
		D86.2 Sarcoidosis of lung with sarcoidosis of lymph nodes	
		D86.3 Sarcoidosis of skin	
		D86.81 Sarcoid meningitis	
		D86.82 Multiple cranial nerve palsies in sarcoidosis	
		D86.83 Sarcoid iridocyclitis	
		D86.84 Sarcoid pyelonephritis	
		D86.85 Sarcoid myocarditis	
		D86.86 Sarcoid arthropathy	
		D86.87 Sarcoid myositis	
		D86.89 Sarcoidosis of other sites	
198.81	Secondary malignant neoplasm of breast	C79.81	Secondary malignant neoplasm of breast
487.1	Influenza with other respiratory manifestations	J11.1	Influenza due to unidentified influenza virus with other respiratory manifestations
		Additional Choices	
		J10.1 Influenza due to other identified influenza virus with other respiratory manifestations	
		J10.01 Influenza due to other identified influenza virus with the same other identified influenza virus pneumonia	
		Notes	
		Use additional code for associated pleural effusion, if applicable (J91.8)	
		Use additional code for associated sinusitis, if applicable (J01.-)	
		Use additional code to identify:	
		exposure to environmental tobacco smoke (Z77.22)	
		exposure to tobacco smoke in the perinatal period (P96.81)	
		history of tobacco use (Z87.891)	
		occupational exposure to environmental tobacco smoke (Z57.31)	
		tobacco dependence (F17.-)	
		tobacco use (Z72.0)	
276.2	Acidosis	E87.2	Acidosis

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
492.8	Other emphysema	J43.9	Emphysema, unspecified
		Additional Choices	
		J43.0 Unilateral pulmonary emphysema [MacLeod's syndrome] J43.1 Panlobular emphysema J43.2 Centrilobular emphysema J43.8 Other emphysema	
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
291.81	Alcohol withdrawal	F10.239	Alcohol dependence with withdrawal, unspecified
		Additional Choices	
		F10.230 Alcohol dependence with withdrawal, uncomplicated F10.232 Alcohol dependence with withdrawal with perceptual disturbance	
		Notes	
		Use additional code for blood alcohol level, if applicable (Y90.-)	
482.42	Methicillin resistant pneumonia due to Staphylococcus aureus	J15.212	Pneumonia due to Methicillin resistant Staphylococcus aureus
		Notes	
		Code first associated influenza, if applicable (J09.X1, J10.0-, -J11.0-) Code also associated abscess, if applicable (J85.1) Use additional code for associated pleural effusion, if applicable (J91.8) Use additional code for associated sinusitis, if applicable (J01.-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
789.00	Abdominal pain, unspecified site	R10.9	Unspecified abdominal pain
		Additional Choices	
		R10.0 Acute abdomen	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
477.9	Allergic rhinitis, unspecified	J30.0 J30.9	Vasomotor rhinitis Allergic rhinitis, unspecified
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
432.1	Subdural hemorrhage	I62.00	Nontraumatic subdural hemorrhage, unspecified
		Additional Choices	
		I62.01 Nontraumatic acute subdural hemorrhage I62.02 Nontraumatic subacute subdural hemorrhage I62.03 Nontraumatic chronic subdural hemorrhage	
		Notes	
		<p>Use additional code to identify presence of:</p> <ul style="list-style-type: none"> alcohol abuse and dependence (F10.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) hypertension (I10-I15) occupational exposure to environmental tobacco smoke (F17.-) tobacco use (Z72.0) 	
414.02	Coronary atherosclerosis of autologous vein bypass graft	I25.810	Atherosclerosis of coronary artery bypass graft(s) without angina pectoris
		Additional Choices	
		I25.710 Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris I25.711 Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm I25.718 Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris I25.719 Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris	
		Notes	
		<p>Use additional code, if applicable, to identify:</p> <ul style="list-style-type: none"> coronary atherosclerosis due to calcified coronary lesion (I25.84) coronary atherosclerosis due to lipid rich plaque (I25.83) 	

ACCP Inpatient/Facility List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
512.89	Other pneumothorax	J93.83	Other pneumothorax J93.9 Pneumothorax, unspecified
		<p>Notes</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
995.92	Severe sepsis	R65.20	Severe sepsis without septic shock
		<p>Notes</p> <p>Code first underlying infection, such as:</p> <ul style="list-style-type: none"> infection following a procedure (T81.4) infections following infusion, transfusion and therapeutic injection (T80.2-) puerperal sepsis (O85) sepsis following complete or unspecified spontaneous abortion (O03.87) sepsis following ectopic and molar pregnancy (O08.82) sepsis following incomplete spontaneous abortion (O03.37) sepsis following (induced) termination of pregnancy (O04.87) sepsis NOS (A41.9) <p>Use additional code to identify specific acute organ dysfunction, such as:</p> <ul style="list-style-type: none"> acute kidney failure (N17.-) acute respiratory failure (J96.0-) critical illness myopathy (G72.81) critical illness polyneuropathy (G62.81) disseminated intravascular coagulopathy [DIC] (D65) encephalopathy (metabolic) (septic) (G93.41) hepatic failure (K72.0-) 	
428.30	Diastolic heart failure, unspecified	I50.30	Unspecified diastolic (congestive) heart failure
		<p>Notes</p> <p>Code first heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8)</p> <ul style="list-style-type: none"> heart failure following surgery (I97.13-) heart failure due to hypertension (I11.0) heart failure due to hypertension with chronic kidney disease (I13.-) obstetric surgery and procedures (O75.4) rheumatic heart failure (I09.81) 	
443.9	Peripheral vascular disease, unspecified	I73.9	Peripheral vascular disease, unspecified